10659859_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned From A Search of 10659859 on February 27, 2004

23 188/171 (11 OR, 12 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/166 .Spring
188/171 ..Electric release

20 188/161 (5 OR, 15 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/158 .Electric
188/161 ..Electromagnet

18 303/20 (3 OR, 15 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/20 ELECTRIC CONTROL

17 303/7 (11 OR, 6 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/5 MULTIPLE FLUID-RECEIVING DEVICES
303/6.01 .Multiple motors
303/7 ..Sectional train

11 310/93 (5 OR, 6 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/92 ..Torque-transmitting clutches or brakes
310/93 ...Brake type

10 303/119.2 (2 OR, 8 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/121 SPEED-CONTROLLED
303/113.1 .Having a valve system responsive to a wheel lock signal
303/119.1 ..System controlled by solenoid valve
303/119.2 ...System solenoid valve detail

10 310/77 (4 OR, 6 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/66 ..With other elements
310/75R ...Drive mechanism
310/77 ....Brake

8 188/164 (3 OR, 5 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/158 .Electric
188/161 ..Electromagnet
188/164 ...Magnetic circuit

8 188/72.3 (0 OR, 8 XR)
Class 188 : BRAKES
188/67 ROD

(6161653
6321883
5235303
4174869
4099790
4984126
5509509
5931285
5582275
4757881
6047805
6050654
4791344
4375149
4994725
4386684
5560557
6158405
5227702
5829845
4280737
4402553
4573350
5014828
5186286
5368138
5415253
5433297
5465815
5704587
5709347
5739610
5979292
6203123
6209968
6209968
6244395
6253832
4311373
4594844
4398252
4760898
6094024
6142266
4332199
6009357
6545852
4778255
5232195
4276824).pn.
(4788463
4425988
3579973
5046404
5254528
5378210
5443132
5967274
6129025

4326236
5537865
5705903
5801497
6149544
6343504
4581987
5457372
4354147
4450397
4455515
4324180
5778703
5791442
4937483
5806937
6084325
3624438
3624437
4294337
4327873
4576051
4951567
5054587
5045739
5031900
5189324
5254061
5417478
5438909
5479890
5518087
5615930
5620236
5647645
5782542
5785393
5800025
5830105
5915507
5941609).pn.
(5949147
5970881
6039410
6050649
6179390
6325466
6367588
6429609
6459182
6471017
6557673
6557952
6619759
6655752
4281552
4296636
4479844
4290313

5245279
5289131
6198614
6233131
4325261
4358693
4367449
4370892
4401925
4446691
4449356
4449355
4449354
4467388
4544985
4563904
4577174
4766770
4782295
5436873
5495886
5523746
5538581
5555484
5566376
5610794
5844143
5929732
6153959
6175199
6239679
5804901).pn.
(6155654
5351042
5481143
6100491
6165095
6166896
4476450
5409194
5815057
4530428
4793263
4847726
4905031
5343145
5345431
5375506
5490124
5653514
6003481
6066999
6106236
6364294
6655328
4366385
4449835
4464576
4935677

4994698
5014030
4932707
5601027
5460074
3668445
4589706
4785855
5605088
5842774
6033034
4316599
5361675
6156989
5238095
4336132
4475826
4430592
4575160
5388669
5555962
5868229
5927453).pn.
(6070705
6202804
3912196
3840096
4170278
4351423
4352415
4368614
4387579
4553653
4609080
4811820
4828078
4958780
5057728
5176231
5178441
5199532
5253738
5332302
5404852
5479844
5547059
5889476
5924510
6019185
6041879
6082480
6102493
6125975
6161659
6290030
6332493
6341676
6378743
6488133

4903510
5202539
3593630
3590969
3791418
4022306
4265345
4326609
4333207
4386683
4414806
4437129
4548373
4800799).pn.
(4811994
5211257
5384612
5398731
5462502
5713445
5915668
6109176
6148967
6267207
6311808
6423008
6457666
6464025
4543519
6047534
5216217
3659170
4030007
4034856
4145645
4307793
4360753
4384250
4450388
4471855
4479565
4509620
4547692
4560913
4792734
4799557
4833386
4862052
4916370
4978897
4986340
5003241
5345649
5347895
5583406
5583412
6037728
6264005
5483615

6006553
6057614
4589534
5988327
5460585).pn.

10659859_CLS

Most Frequently Occurring Classifications of Patents Returned From A Search of 10659859 on February 27, 2004

Original Classifications

11	188/171
11	303/7
6	73/861.12
6	303/114.3
5	188/161
5	310/93
4	57/284
4	188/138
4	303/3
4	310/77
3	57/88
3	101/216
3	188/164
3	188/71.8
3	192/12R
3	303/20
3	361/144
2	73/118.1
2	73/861.17
2	91/369.1
2	123/90.11
2	164/502
2	180/197
2	180/247
2	187/296
2	188/196BA
2	188/77R
2	192/18B
2	192/35
2	242/486.8
2	251/129.08
2	290/38R
2	303/113.3
2	303/119.2
2	310/105
2	318/760
2	318/762
2	335/132
2	340/5.61
2	361/160
2	361/206

Cross-Reference Classifications

15	188/161
15	303/20
12	188/171
8	188/72.3
8	303/119.2
6	188/156
6	188/158
6	188/3R
6	303/124
6	303/7
6	310/77

6	310/93
6	318/375
5	91/376R
5	188/164
5	242/150M
5	303/113.4
5	318/757
4	57/283
4	57/354
4	57/91
4	187/288
4	188/356
4	188/72.1
4	188/72.9
4	192/56.54
4	192/90
4	242/131
3	60/547.1
3	73/861.17
3	180/249
3	188/106P
3	188/162
3	188/163
3	188/267
3	192/111A
3	192/48.92
3	192/56.62
3	242/422.2
3	318/368
3	318/372
3	318/439
3	318/759
3	318/760
3	482/903
2	57/100
2	70/283
2	73/861.16
2	91/433
2	91/459
2	101/DIG 41
2	104/286
2	104/293
2	112/275
2	123/179.25
2	137/625.65
2	164/466
2	180/168
2	187/296
2	187/351
2	188/106F
2	188/166
2	188/180
2	188/196V
2	188/71.8
2	188/72.8
2	192/18B
2	192/81C
2	192/84.81
2	192/93A

2	242/419.3
2	251/129.1
2	251/129.11
2	251/129.16
2	303/113.3
2	303/119.1
2	303/15
2	303/24.1
2	303/3
2	303/900
2	310/105
2	310/112
2	310/114
2	310/12
2	310/218
2	310/51
2	310/53
2	310/76
2	310/94
2	318/139
2	318/371
2	318/466
2	318/763
2	324/235
2	335/131
2	335/203
2	335/245
2	335/78
2	336/136
2	340/5.7
2	361/144
2	361/152
2	361/160
2	388/806
2	482/5
2	482/63

Combined Classifications

23	188/171
20	188/161
18	303/20
17	303/7
11	310/93
10	303/119.2
10	310/77
8	188/164
8	188/72.3
7	188/156
7	303/114.3
7	303/124
7	318/375
6	73/861.12
6	188/158
6	188/3R
6	303/3
6	318/757
5	73/861.17
5	91/376R
5	187/288

5	188/138
5	188/71.8
5	242/150M
5	303/113.4
5	318/760
5	361/144
4	57/283
4	57/284
4	57/354
4	57/91
4	187/296
4	188/106P
4	188/162
4	188/267
4	188/356
4	188/72.1
4	188/72.9
4	192/18B
4	192/56.54
4	192/90
4	242/131
4	303/113.3
4	310/105
4	318/368
4	318/372
4	318/759
4	361/160
3	57/88
3	60/547.1
3	101/216
3	180/249
3	188/163
3	192/111A
3	192/12R
3	192/35
3	192/48.92
3	192/56.62
3	192/84.81
3	242/422.2
3	310/51
3	318/139
3	318/439
3	318/763
3	361/206
3	482/5
3	482/63
3	482/903
2	57/100
2	70/283
2	73/118.1
2	73/861.16
2	91/369.1
2	91/433
2	91/459
2	101/DIG 41
2	104/286
2	104/293
2	112/275
2	123/179.25

2 123/90.11
2 137/625.65
2 164/466
2 164/502
2 180/168
2 180/197
2 180/247
2 187/351
2 188/1.11E
2 188/106F
2 188/166
2 188/180
2 188/196BA
2 188/196V
2 188/72.6
2 188/72.7
2 188/72.8
2 188/77R
2 192/16
2 192/81C
2 192/93A
2 242/149
2 242/419.3
2 242/419.9
2 242/486.8
2 251/129.08
2 251/129.1
2 251/129.11
2 251/129.15
2 251/129.16
2 290/38R
2 303/116.1
2 303/117.1
2 303/119.1
2 303/15
2 303/191
2 303/24.1
2 303/900
2 310/112
2 310/114
2 310/12
2 310/218
2 310/53
2 310/74
2 310/76
2 310/94
2 318/138
2 318/254
2 318/269
2 318/371
2 318/376
2 318/466
2 318/567
2 318/762
2 324/235
2 335/131
2 335/132
2 335/203
2 335/245

2 335/306
2 335/78
2 336/136
2 340/5.61
2 340/5.7
2 361/115
2 361/147
2 361/152
2 361/170
2 388/806
2 477/13
2 701/70

188/71.1 .Axially movable brake element or housing therefor
188/72.1 ..With means for actuating brake element
188/72.3 ...And means for retracting brake element

7 188/156 (1 OR, 6 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/156 .Electric and mechanical

7 303/114.3 (6 OR, 1 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/121 SPEED-CONTROLLED
303/113.1 .Having a valve system responsive to a wheel lock signal
303/114.3 ..Including pneumatic power booster

7 303/124 (1 OR, 6 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/121 SPEED-CONTROLLED
303/123 .For a tractor-trailer type vehicle
303/124 ..Electric brake

7 318/375 (1 OR, 6 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/362 BRAKING
318/375 .Dynamic braking

6 73/861.12 (6 OR, 0 XR)
Class 073 : MEASURING AND TESTING
73/861 VOLUME OR RATE OF FLOW
73/861.08 .By measuring electrical or magnetic properties

73/861.11 ..Electromagnetic induction (e.g., Faraday type)
73/861.12 ...With detecting electrodes

6 188/158 (0 OR, 6 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/158 .Electric

6 188/3R (0 OR, 6 XR)
Class 188 : BRAKES
188/2R VEHICLE
188/3R .Train

6 303/3 (4 OR, 2 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/2 MULTIPLE SYSTEMS
303/3 .Fluid pressure and electric

6 318/757 (1 OR, 5 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/727 INDUCTION MOTOR SYSTEMS
318/757 .Braking

5 73/861.17 (2 OR, 3 XR)
Class 073 : MEASURING AND TESTING

```
        73/861          VOLUME OR RATE OF FLOW
        73/861.08       .By measuring electrical or magnetic properties

        73/861.11       ..Electromagnetic induction (e.g., Faraday
                              type)
        73/861.12       ...With detecting electrodes
        73/861.16       ....Including electrically interconnected or
                            synchronized input and output circuit
        73/861.17       .....Selective or periodic sampling

5   91/376R       (0 OR, 5 XR)
        Class    091 :  MOTORS: EXPANSIBLE CHAMBER TYPE
        91/358R         WORKING MEMBER POSITION FEEDBACK TO MOTIVE
                              FLUID CONTROL
        91/368          .Follower type
        91/374          ..Plural movable valve parts
        91/376R         ...One movable part unitary with working member


5  187/288        (1 OR, 4 XR)
        Class    187 :  ELEVATOR, INDUSTRIAL LIFT TRUCK, OR
                          STATIONARY LIFT FOR VEHICLE
        187/250         HAVING SPECIFIC LOAD SUPPORT DRIVE-MEANS OR ITS
                              CONTROL
        187/276         .Includes control for power source of
                             drive-means
        187/277         ..With specific electrical component
        187/288         ...Control actuates mechanical braking means
                            for power source

5  188/138        (4 OR, 1 XR)
        Class    188 :  BRAKES
        188/381         FRICTIONAL VIBRATION DAMPER
        188/110         .Automatic
        188/135         ..Momentum
        188/137         ...Electric control
        188/138         ....Vehicle

5  188/71.8       (3 OR, 2 XR)
        Class    188 :  BRAKES
        188/67          ROD
        188/71.1        .Axially movable brake element or housing
                             therefor
        188/71.7        ..With means to adjust for wear of brake
        188/71.8        ...Self-adjusting means

5  242/150M       (0 OR, 5 XR)
        Class    242 :  WINDING, TENSIONING, OR GUIDING
        242/147R        STRAND TENSIONING DEVICE
        242/149         .Clamp
        242/150R        ..Disk type
        242/150M        ...Magnetic

5  303/113.4      (0 OR, 5 XR)
        Class    303 :  FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
        303/121         SPEED-CONTROLLED
        303/113.1       .Having a valve system responsive to a wheel
                            lock signal
        303/113.4       ..Including a stroke sensor
```

5 318/760 (2 OR, 3 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/727 INDUCTION MOTOR SYSTEMS
318/757 .Braking
318/759 ..Dynamic braking
318/760 ...Direct current primary winding braking circuit

5 361/144 (3 OR, 2 XR)
Class 361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/139 CONTROL CIRCUITS FOR ELECTROMAGNETIC DEVICES
361/143 .Systems for magnetizing, demagnetizing, or controlling the magnetic field
361/144 ..For lifting or holding

4 57/283 (0 OR, 4 XR)
Class 057 : TEXTILES: SPINNING, TWISTING, AND TWINING
57/1R APPARATUS AND PROCESSES
57/282 .Twist setting
57/283 ..With twist variation

4 57/284 (4 OR, 0 XR)
Class 057 : TEXTILES: SPINNING, TWISTING, AND TWINING
57/1R APPARATUS AND PROCESSES
57/282 .Twist setting
57/284 ..False twist crimp

4 57/354 (0 OR, 4 XR)
Class 057 : TEXTILES: SPINNING, TWISTING, AND TWINING
57/1R APPARATUS AND PROCESSES
57/352 .Strand guiding or guarding
57/354 ..Separator or balloon limitor

4 57/91 (0 OR, 4 XR)
Class 057 : TEXTILES: SPINNING, TWISTING, AND TWINING
57/1R APPARATUS AND PROCESSES
57/90 .Feeding
57/91 ..Irregular

4 187/296 (2 OR, 2 XR)
Class 187 : ELEVATOR, INDUSTRIAL LIFT TRUCK, OR STATIONARY LIFT FOR VEHICLE
187/250 HAVING SPECIFIC LOAD SUPPORT DRIVE-MEANS OR ITS CONTROL
187/276 .Includes control for power source of drive-means
187/277 ..With specific electrical component
187/289 ...For electric power source
187/293 ....Controls power source speed
187/296 .....Limited to power source (i.e., motor) utilizing A.C. power

4 188/106P (1 OR, 3 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/105 .Multiple
188/106R ..Vehicle

```
        188/106P      ...Plural systems

4  188/162       (1 OR, 3 XR)
        Class   188 :  BRAKES
        188/381       FRICTIONAL VIBRATION DAMPER
        188/158       .Electric
        188/161       ..Electromagnet
        188/162       ...Rotary motor

4  188/267       (1 OR, 3 XR)
        Class   188 :  BRAKES
        188/266       INTERNAL-RESISTANCE MOTION RETARDER
        188/267       .Using magnetic flux

4  188/356       (0 OR, 4 XR)
        Class   188 :  BRAKES
        188/381       FRICTIONAL VIBRATION DAMPER
        188/151R      .Fluid pressure
        188/152       ..Road vehicle
        188/355       ...With nonmanual fluid-power source
        188/356       ....Vacuum power

4  188/72.1      (0 OR, 4 XR)
        Class   188 :  BRAKES
        188/67        ROD
        188/71.1      .Axially movable brake element or housing
                          therefor
        188/72.1      ..With means for actuating brake element

4  188/72.9      (0 OR, 4 XR)
        Class   188 :  BRAKES
        188/67        ROD
        188/71.1      .Axially movable brake element or housing
                           therefor
        188/72.1      ..With means for actuating brake element
        188/72.9      ...By pivoted lever

4  192/18B       (2 OR, 2 XR)
        Class   192 :  CLUTCHES AND POWER-STOP CONTROL
        192/12R       CLUTCH AND BRAKE
        192/18R       .Sliding operation
        192/18B       ..Electric and magnetic

4  192/56.54     (0 OR, 4 XR)
        Class   192 :  CLUTCHES AND POWER-STOP CONTROL
        192/30R       CLUTCHES
        192/54.1      .Torque responsive
        192/56.1      ..Overload release
        192/56.5      ...Clutch elements remain disengaged after
                             overload corrected
        192/56.51     ....Having separate latch to hold clutch
                           elements disengaged
        192/56.52     .....Axially engaged
        192/56.53     ......Positive
        192/56.54     .......Ball or roller

4  192/90        (0 OR, 4 XR)
        Class   192 :  CLUTCHES AND POWER-STOP CONTROL
        192/30R       CLUTCHES
```

```
        192/82R       .Operators
        192/89.2      ..Spring engaged
        192/90        ...Electric release

4  242/131       (0 OR, 4 XR)
        Class   242 :  WINDING, TENSIONING, OR GUIDING
        242/129.5     SUPPORT FOR A STRAND MATERIAL HOLDER
        242/130       .For bobbins (i.e., commercial-type strand
                          packages)
        242/131       ..Creel

4  303/113.3     (2 OR, 2 XR)
        Class   303 :  FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
        303/121       SPEED-CONTROLLED
        303/113.1     .Having a valve system responsive to a wheel
                           lock signal
        303/113.2     ..With traction control
        303/113.3     ...Including booster

4  310/105       (2 OR, 2 XR)
        Class   310 :  ELECTRICAL GENERATOR OR MOTOR STRUCTURE
        310/10        DYNAMOELECTRIC
        310/40R       .Rotary
        310/92        ..Torque-transmitting clutches or brakes
        310/103       ...Magnetic field type
        310/105       ....Induced or eddy current type

4  318/368       (1 OR, 3 XR)
        Class   318 :  ELECTRICITY:  MOTIVE POWER SYSTEMS
        318/362       BRAKING
        318/364       .Automatic and/or with time-delay means
        318/366       ..Condition of motor or driven device
        318/368       ...Armature or primary circuit voltage or
                         terminal or counter e.m.f. voltage

4  318/372       (1 OR, 3 XR)
        Class   318 :  ELECTRICITY:  MOTIVE POWER SYSTEMS
        318/362       BRAKING
        318/372       .Friction braking

4  318/759       (1 OR, 3 XR)
        Class   318 :  ELECTRICITY:  MOTIVE POWER SYSTEMS
        318/727       INDUCTION MOTOR SYSTEMS
        318/757       .Braking
        318/759       ..Dynamic braking

4  361/160       (2 OR, 2 XR)
        Class   361 :  ELECTRICITY:  ELECTRICAL SYSTEMS AND DEVICES

        361/139       CONTROL CIRCUITS FOR ELECTROMAGNETIC DEVICES
        361/160       .For relays or solenoids

3   57/88         (3 OR, 0 XR)
        Class   057 :  TEXTILES:  SPINNING, TWISTING, AND TWINING
        57/1R         APPARATUS AND PROCESSES
        57/78         .Stopping or starting
        57/88         ..Spindle stopping

3   60/547.1      (0 OR, 3 XR)
```

Class 060 : POWER PLANTS
60/325 PRESSURE FLUID SOURCE AND MOTOR
60/533 .Pulsator
60/547.1 ..With control of or by a separate power fluid, etc.

3 101/216 (3 OR, 0 XR)
Class 101 : PRINTING
101/212 ROLLING CONTACT MACHINES
101/216 .Rotary

3 180/249 (0 OR, 3 XR)
Class 180 : MOTOR VEHICLES
180/233 HAVING FOUR WHEELS DRIVEN
180/248 .With differential means for driving two wheel sets at dissimilar speeds
180/249 ..And means for locking out the differential means

3 188/163 (0 OR, 3 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/158 .Electric
188/161 ..Electromagnet
188/163 ...Solenoid

3 192/111A (0 OR, 3 XR)
Class 192 : CLUTCHES AND POWER-STOP CONTROL
192/30R CLUTCHES
192/111R .Wear compensators
192/111A ..Automatic wear compensators

3 192/12R (3 OR, 0 XR)
Class 192 : CLUTCHES AND POWER-STOP CONTROL
192/12R CLUTCH AND BRAKE

3 192/35 (2 OR, 1 XR)
Class 192 : CLUTCHES AND POWER-STOP CONTROL
192/30R CLUTCHES
192/31 .Automatic
192/32 ..Manual control
192/35 ...Pilot mechanism

3 192/48.92 (0 OR, 3 XR)
Class 192 : CLUTCHES AND POWER-STOP CONTROL
192/30R CLUTCHES
192/48.1 .Plural clutch-assemblage
192/48.92 ..Including unirotationally engaging clutch-elements

3 192/56.62 (0 OR, 3 XR)
Class 192 : CLUTCHES AND POWER-STOP CONTROL
192/30R CLUTCHES
192/54.1 .Torque responsive
192/56.1 ..Overload release
192/56.6 ...Axially engaged
192/56.61 ....Positive
192/56.62 .....Ball or roller

3 192/84.81 (1 OR, 2 XR)
Class 192 : CLUTCHES AND POWER-STOP CONTROL
192/30R CLUTCHES
192/82R .Operators
192/84.1 ..Electric or magnetic
192/84.8 ...Operator for transversely engaging elements

192/84.81 ....Coil spring

3 242/422.2 (0 OR, 3 XR)
Class 242 : WINDING, TENSIONING, OR GUIDING
242/410 TENSION CONTROL OR BRAKE
242/416 .Supply controlled
242/422 ..Yieldable coil brake
242/422.2 ...Fluid or magnetic brake or operator

3 310/51 (1 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/51 ..Vibration or noise suppression

3 318/139 (1 OR, 2 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/139 BATTERY-FED MOTOR SYSTEMS

3 318/439 (0 OR, 3 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/439 MOTOR COMMUTATION CONTROL SYSTEMS

3 318/763 (1 OR, 2 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/727 INDUCTION MOTOR SYSTEMS
318/757 .Braking
318/763 ..Reversal of power to primary winding

3 361/206 (2 OR, 1 XR)
Class 361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/139 CONTROL CIRCUITS FOR ELECTROMAGNETIC DEVICES
361/160 .For relays or solenoids
361/206 ..Particular relay or solenoid

3 482/5 (1 OR, 2 XR)
Class 482 : EXERCISE DEVICES
482/1 HAVING SPECIFIC ELECTRICAL FEATURE
482/4 .Equipment control
482/5 ..Amount of resistance

3 482/63 (1 OR, 2 XR)
Class 482 : EXERCISE DEVICES
482/51 INVOLVING USER TRANSLATION OR PHYSICAL SIMULATION THEREOF
482/57 .Bicylcling
482/63 ..Utilizing specific resistance generating structure

3 482/903 (0 OR, 3 XR)
Class 482 : EXERCISE DEVICES

482/903 UTILIZING ELECTROMAGNETIC FORCE RESISTANCE

2 57/100 (0 OR, 2 XR)
Class 057 : TEXTILES: SPINNING, TWISTING, AND TWINING
57/1R APPARATUS AND PROCESSES
57/92 .Driving
57/100 ..Electric

2 70/283 (0 OR, 2 XR)
Class 070 : LOCKS
70/266 OPERATING MECHANISM
70/275 .Using a powered device (e.g., motor)
70/277 ..Electrical type (e.g., solenoid)
70/283 ...Dogging manual operator

2 73/118.1 (2 OR, 0 XR)
Class 073 : MEASURING AND TESTING
73/116 MOTOR AND ENGINE TESTING
73/118.1 .Testing auxiliary unit

2 73/861.16 (0 OR, 2 XR)
Class 073 : MEASURING AND TESTING
73/861 VOLUME OR RATE OF FLOW
73/861.08 .By measuring electrical or magnetic properties

73/861.11 ..Electromagnetic induction (e.g., Faraday type)
73/861.12 ...With detecting electrodes
73/861.16 ....Including electrically interconnected or synchronized input and output circuit

2 91/369.1 (2 OR, 0 XR)
Class 091 : MOTORS: EXPANSIBLE CHAMBER TYPE
91/358R WORKING MEMBER POSITION FEEDBACK TO MOTIVE FLUID CONTROL
91/368 .Follower type
91/369.1 ..With relatively movable working and output members reacting on input member

2 91/433 (0 OR, 2 XR)
Class 091 : MOTORS: EXPANSIBLE CHAMBER TYPE
91/418 WITH MOTIVE FLUID VALVE
91/433 .Both inlet and exhaust controlled by motive fluid pressure in supply line or chamber

2 91/459 (0 OR, 2 XR)
Class 091 : MOTORS: EXPANSIBLE CHAMBER TYPE
91/418 WITH MOTIVE FLUID VALVE
91/459 .Electrically operated (275) (361)

2 101/DIG 41 (0 OR, 2 XR)
Class 101 : PRINTING
101/DIG 41 MEANS FOR BRAKING PRESS CYLINDERS

2 104/286 (0 OR, 2 XR)
Class 104 : RAILWAYS
104/281 MAGNETICALLY SUSPENDED CAR
104/286 .Construction or composition of suspension elements

2 104/293 (0 OR, 2 XR)
Class 104 : RAILWAYS
104/287 CAR-CARRIED PROPULSION SYSTEM
104/288 .Electric
104/290 ..Linear motor
104/293 ...Including means to control gap

2 112/275 (0 OR, 2 XR)
Class 112 : SEWING
112/270 ELEMENTS
112/271 .Starting or stopping
112/274 ..With element positioning
112/275 ...Electrically operated

2 123/179.25 (0 OR, 2 XR)
Class 123 : INTERNAL-COMBUSTION ENGINES
123/179.1 STARTING DEVICE
123/179.25 .Having specific mounting or drive connection for electric starter motor

2 123/90.11 (2 OR, 0 XR)
Class 123 : INTERNAL-COMBUSTION ENGINES
123/90.1 POPPET VALVE OPERATING MECHANISM
123/90.11 .Electrical system

2 137/625.65 (0 OR, 2 XR)
Class 137 : FLUID HANDLING
137/561R SYSTEMS
137/625 .Multi-way valve unit
137/625.2 ..Supply and exhaust
137/625.65 ...Motor-operated

2 164/466 (0 OR, 2 XR)
Class 164 : METAL FOUNDING
164/1 PROCESS
164/47 .Shaping liquid metal against a forming surface

164/459 ..Continuous or semicontinuous casting
164/466 ...Utilizing magnetic force

2 164/502 (2 OR, 0 XR)
Class 164 : METAL FOUNDING
164/146 INCLUDING MEANS TO DIRECTLY APPLY MAGNETIC FORCE TO WORK OR TO MANIPULATE OR HOLD SHAPING MEANS
164/147.1 .By electromagnetic means
164/502 ..In continuous casting apparatus

2 180/168 (0 OR, 2 XR)
Class 180 : MOTOR VEHICLES
180/167 WITH MEANS FOR CONTROLLING OPERATION RESPONSIVE TO ELECTROMAGNETIC RADIATION, MAGNETIC FORCE, OR SOUND WAVES RECEIVED FROM SOURCE, OR REFLECTED FROM OBJECT OR SURFACE, LOCATED APART FROM VEHICLE
180/168 .Having controlling means adapted to interact with stationary means which describes course of vehicle's travel

2 180/197 (2 OR, 0 XR)

Class 180 : MOTOR VEHICLES
180/197 WITH MEANS FOR DETECTING WHEEL SLIP DURING VEHICLE ACCELERATION AND CONTROLLING IT BY REDUCING APPLICATION OF POWER TO WHEEL

2 180/247 (2 OR, 0 XR)
Class 180 : MOTOR VEHICLES
180/233 HAVING FOUR WHEELS DRIVEN
180/247 .With manually operated means for disengaging drive to one or more, but fewer than all, of the four wheels

2 187/351 (0 OR, 2 XR)
Class 187 : ELEVATOR, INDUSTRIAL LIFT TRUCK, OR STATIONARY LIFT FOR VEHICLE
187/351 HAVING SPECIFIC MEANS CONTACTING OR ON LOAD SUPPORT FOR STOPPING OR SLOWING THEREOF

2 188/1.11E (1 OR, 1 XR)
Class 188 : BRAKES
188/1.11R WITH CONDITION INDICATOR
188/1.11E .Electrical

2 188/106F (0 OR, 2 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/105 .Multiple
188/106R ..Vehicle
188/106F ...Fluid and mechanical

2 188/166 (0 OR, 2 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/166 .Spring

2 188/180 (0 OR, 2 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/174 .Weight
188/180 ..Regulators

2 188/196BA (2 OR, 0 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/196R .Slack
188/196B ..Ratchet
188/196BA ...Rotatable

2 188/196V (0 OR, 2 XR)
Class 188 : BRAKES
188/381 FRICTIONAL VIBRATION DAMPER
188/196R .Slack
188/196V ..Screw, shim or cam

2 188/72.6 (1 OR, 1 XR)
Class 188 : BRAKES
188/67 ROD
188/71.1 .Axially movable brake element or housing therefor

```
        188/72.1      ..With means for actuating brake element
        188/72.4      ...By fluid pressure piston
        188/72.6      ....And/or mechanical linkage

2  188/72.7      (1 OR, 1 XR)
        Class   188 :  BRAKES
        188/67        ROD
        188/71.1      .Axially movable brake element or housing
                           therefor
        188/72.1      ..With means for actuating brake element
        188/72.7      ...By inclined surface (e.g., wedge, cam or
                         screw)

2  188/72.8      (0 OR, 2 XR)
        Class   188 :  BRAKES
        188/67        ROD
        188/71.1      .Axially movable brake element or housing
                           therefor
        188/72.1      ..With means for actuating brake element
        188/72.7      ...By inclined surface (e.g., wedge, cam or
                         screw)
        188/72.8      ....Screw or helical cam

2  188/77R       (2 OR, 0 XR)
        Class   188 :  BRAKES
        188/67        ROD
        188/74        .Transversely movable
        188/77R       ..Strap

2  192/16        (1 OR, 1 XR)
        Class   192 :  CLUTCHES AND POWER-STOP CONTROL
        192/12R       CLUTCH AND BRAKE
        192/15        .Automatic check and release
        192/16        ..Clutch and brake same member

2  192/81C       (0 OR, 2 XR)
        Class   192 :  CLUTCHES AND POWER-STOP CONTROL
        192/30R       CLUTCHES
        192/66.1      .Axially engaging
        192/79        ..Exterior
        192/80        ...Strap
        192/81R       ....Multiple folds
        192/81C       .....Coil

2  192/93A       (0 OR, 2 XR)
        Class   192 :  CLUTCHES AND POWER-STOP CONTROL
        192/30R       CLUTCHES
        192/82R       .Operators
        192/93R       ..Cam
        192/93A       ...Axially thrusting cams rotatable about
                         clutch axis

2  242/149       (1 OR, 1 XR)
        Class   242 :  WINDING, TENSIONING, OR GUIDING
        242/147R      STRAND TENSIONING DEVICE
        242/149       .Clamp

2  242/419.3     (0 OR, 2 XR)
        Class   242 :  WINDING, TENSIONING, OR GUIDING
```

242/410 TENSION CONTROL OR BRAKE
242/416 .Supply controlled
242/419 ..Drag on running material
242/419.3 ...Pneumatic or magnetic

2 242/419.9 (1 OR, 1 XR)
Class 242 : WINDING, TENSIONING, OR GUIDING
242/410 TENSION CONTROL OR BRAKE
242/416 .Supply controlled
242/419 ..Drag on running material
242/419.8 ...Rotary
242/419.9 ....With brake or clutch

2 242/486.8 (2 OR, 0 XR)
Class 242 : WINDING, TENSIONING, OR GUIDING
242/470 HELICAL OR RANDOM WINDING OF MATERIAL
242/484.6 .Including particular drive
242/486.8 ..Drive engages spindle

2 251/129.08 (2 OR, 0 XR)
Class 251 : VALVES AND VALVE ACTUATION
251/129.01 ELECTRICALLY ACTUATED VALVE
251/129.08 .Having means to produce proportional flow

2 251/129.1 (0 OR, 2 XR)
Class 251 : VALVES AND VALVE ACTUATION
251/129.01 ELECTRICALLY ACTUATED VALVE
251/129.09 .Solenoid having plural coils
251/129.1 ..Coils have common axis

2 251/129.11 (0 OR, 2 XR)
Class 251 : VALVES AND VALVE ACTUATION
251/129.01 ELECTRICALLY ACTUATED VALVE
251/129.11 .Rotary electric actuator

2 251/129.15 (1 OR, 1 XR)
Class 251 : VALVES AND VALVE ACTUATION
251/129.01 ELECTRICALLY ACTUATED VALVE
251/129.15 .Including solenoid

2 251/129.16 (0 OR, 2 XR)
Class 251 : VALVES AND VALVE ACTUATION
251/129.01 ELECTRICALLY ACTUATED VALVE
251/129.15 .Including solenoid
251/129.16 ..Having plate-shaped armature

2 290/38R (2 OR, 0 XR)
Class 290 : PRIME-MOVER DYNAMO PLANTS
290/7 ELECTRIC CONTROL
290/38R .Electric-starting motor

2 303/116.1 (1 OR, 1 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/121 SPEED-CONTROLLED
303/113.1 .Having a valve system responsive to a wheel lock signal
303/116.1 ..Including pump with system solenoid valve

2 303/117.1 (1 OR, 1 XR)

Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/121 SPEED-CONTROLLED
303/113.1 .Having a valve system responsive to a wheel lock signal
303/117.1 ..Spool valve

2 303/119.1 (0 OR, 2 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/121 SPEED-CONTROLLED
303/113.1 .Having a valve system responsive to a wheel lock signal
303/119.1 ..System controlled by solenoid valve

2 303/15 (0 OR, 2 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/13 MULTIPLE CONTROL
303/15 .Fluid and electric

2 303/191 (1 OR, 1 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/121 SPEED-CONTROLLED
303/191 .Odd condition or device detection (e.g., fluid or brake temperature, hill holder, anti-squeal controller acoustic emission)

2 303/24.1 (0 OR, 2 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/24.1 INERTIA CONTROL

2 303/900 (0 OR, 2 XR)
Class 303 : FLUID-PRESSURE AND ANALOGOUS BRAKE SYSTEMS
303/900 ABS THROTTLE CONTROL

2 310/112 (0 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/112 ..Plural units, structurally united

2 310/114 (0 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/114 ..Plural rotary elements

2 310/12 (0 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/12 .Linear

2 310/218 (0 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/179 ..Windings and core structure
310/216 ...Core features
310/218 ....Pole assembly and securing means

2 310/53 (0 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/52 ..Cooling or fluid contact
310/53 ...With control means

2 310/74 (1 OR, 1 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/66 ..With other elements
310/74 ...Inertia or fly-wheel device

2 310/76 (0 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/66 ..With other elements
310/75R ...Drive mechanism
310/76 ....Brake and clutch

2 310/94 (0 OR, 2 XR)
Class 310 : ELECTRICAL GENERATOR OR MOTOR STRUCTURE
310/10 DYNAMOELECTRIC
310/40R .Rotary
310/92 ..Torque-transmitting clutches or brakes
310/94 ...Automatic control

2 318/138 (1 OR, 1 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/138 SPACE-DISCHARGE-DEVICE COMMUTATED MOTOR

2 318/254 (1 OR, 1 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/254 SELF-COMMUTATED IMPULSE OR RELUCTANCE MOTORS

2 318/269 (1 OR, 1 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/255 PLURAL DIVERSE MOTOR CONTROLS
318/268 .Running-speed control
318/269 ..With braking

2 318/371 (0 OR, 2 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/362 BRAKING
318/370 .Plural, diverse or diversely controlled braking means
318/371 ..Including both friction braking "plugging" and/or dynamic braking

2 318/376 (1 OR, 1 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/362 BRAKING
318/375 .Dynamic braking
318/376 ..Regenerative

2 318/466 (0 OR, 2 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS

318/445 AUTOMATIC AND/OR WITH TIME-DELAY MEANS (E.G., AUTOMATIC STARTING AND/OR STOPPING)
318/466 .Movement, position, or limit-of-travel

2 318/567 (1 OR, 1 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/560 POSITIONAL SERVO SYSTEMS (E.G., SERVOMECHANISMS)
318/567 .Program- or pattern-controlled systems

2 318/762 (2 OR, 0 XR)
Class 318 : ELECTRICITY: MOTIVE POWER SYSTEMS
318/727 INDUCTION MOTOR SYSTEMS
318/757 .Braking
318/759 ..Dynamic braking
318/760 ...Direct current primary winding braking circuit
318/762 ....With a.c. to d.c. conversion circuit

2 324/235 (0 OR, 2 XR)
Class 324 : ELECTRICITY: MEASURING AND TESTING
324/200 MAGNETIC
324/228 .With means to create magnetic field to test material
324/234 ..Electrically energized nonforce type sensor

324/235 ...Noncoil type

2 335/131 (0 OR, 2 XR)
Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES, MAGNETS, AND ELECTROMAGNETS
335/2 ELECTROMAGNETICALLY ACTUATED SWITCHES
335/106 .Multiple contact type
335/127 ..Simultaneously actuated
335/131 ...By reciprocating armature

2 335/132 (2 OR, 0 XR)
Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES, MAGNETS, AND ELECTROMAGNETS
335/2 ELECTROMAGNETICALLY ACTUATED SWITCHES
335/106 .Multiple contact type
335/132 ..With adjustable, replaceable or interchangeable structural features

2 335/203 (0 OR, 2 XR)
Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES, MAGNETS, AND ELECTROMAGNETS
335/2 ELECTROMAGNETICALLY ACTUATED SWITCHES
335/203 .With armature structure

2 335/245 (0 OR, 2 XR)
Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES, MAGNETS, AND ELECTROMAGNETS
335/209 MAGNETS AND ELECTROMAGNETS
335/220 .With magneto-mechanical motive device (e.g., electromagnet with armature)
335/243 ..Alternating current type
335/244 ...Flux phase displacement or varying means
335/245 ....Shading coil

2 335/306 (1 OR, 1 XR)
Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES, MAGNETS, AND ELECTROMAGNETS
335/209 MAGNETS AND ELECTROMAGNETS
335/296 .Magnet structure or material
335/302 ..Permanent magnets
335/306 ...Plural magnets

2 335/78 (0 OR, 2 XR)
Class 335 : ELECTRICITY: MAGNETICALLY OPERATED SWITCHES, MAGNETS, AND ELECTROMAGNETS
335/2 ELECTROMAGNETICALLY ACTUATED SWITCHES
335/78 .Polarity-responsive

2 336/136 (0 OR, 2 XR)
Class 336 : INDUCTOR DEVICES
336/130 RELATIVELY MOVABLE CORE AND COIL
336/136 .Telescoping magnetic body and coil

2 340/5.61 (2 OR, 0 XR)
Class 340 : COMMUNICATIONS: ELECTRICAL
340/825 SELECTIVE
340/5.1 .Intelligence comparison for controlling
340/5.2 ..Authorization control (e.g., entry into an area)
340/5.6 ...Coded record input (e.g., IC card or key)
340/5.61 ....Wireless transceiver

2 340/5.7 (0 OR, 2 XR)
Class 340 : COMMUNICATIONS: ELECTRICAL
340/825 SELECTIVE
340/5.1 .Intelligence comparison for controlling
340/5.2 ..Authorization control (e.g., entry into an area)
340/5.7 ...Access barrier

2 361/115 (1 OR, 1 XR)
Class 361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/1 SAFETY AND PROTECTION OF SYSTEMS AND DEVICES
361/115 .With specific circuit breaker or control structure

2 361/147 (1 OR, 1 XR)
Class 361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/139 CONTROL CIRCUITS FOR ELECTROMAGNETIC DEVICES
361/143 .Systems for magnetizing, demagnetizing, or controlling the magnetic field
361/147 ..With permanent magnet

2 361/152 (0 OR, 2 XR)
Class 361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/139 CONTROL CIRCUITS FOR ELECTROMAGNETIC DEVICES
361/143 .Systems for magnetizing, demagnetizing, or controlling the magnetic field
361/152 ..Including particular drive circuit

2 361/170 (1 OR, 1 XR)
Class 361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

361/139 CONTROL CIRCUITS FOR ELECTROMAGNETIC DEVICES
361/160 .For relays or solenoids
361/170 ..Condition responsive (e.g., external circuit condition)

2 388/806 (0 OR, 2 XR)
Class 388 : ELECTRICITY: MOTOR CONTROL SYSTEMS
388/800 CLOSED LOOP SPEED CONTROL SYSTEM FOR DC MOTOR WITH COMMUTATOR
388/803 .Field control, or field and armature control, by analog (only) circuitry
388/806 ..By voltage or current modification

2 477/13 (1 OR, 1 XR)
Class 477 : INTERRELATED POWER DELIVERY CONTROLS, INCLUDING ENGINE CONTROL
477/7 ELECTRIC ENGINE
477/8 .With clutch control
477/13 ..Electric clutch

2 701/70 (1 OR, 1 XR)
Class 701 : DATA PROCESSING: VEHICLES, NAVIGATION, AND RELATIVE LOCATION
701/1 VEHICLE CONTROL, GUIDANCE, OPERATION, OR INDICATION
701/70 .Indication or control of braking, acceleration, or deceleration